

King County Forest Carbon Program: 2018 Urban Forest Carbon Project Monitoring Report for Preservation Projects

Project Operator Name: King County Department of Natural Resources and Parks

Project Name: King County 2018 Urban Forest Carbon Project

Project Location: Soaring Eagle Park Addition, Near Sammamish in King County, Washington

Deadline to Submit to CFC: May 16, 2022

1. Has the contact info for the Project Operator changed? If so, please provide new contact info.

Anne-Gigi Chan
anne-gigi.chan@kingcounty.gov
206-263-2974
201 South Jackson Street, Suite 5600
Seattle, WA 980104

2. Have there been changes in land ownership of the Project Area?

No

3. Have there been any changes in the Project Design?

No

4. Have there been any changes in the implementation or management of the Project?

No

5. Have there been any significant tree or canopy losses? (Provide any Google Earth Imaging or photos to show no significant changes).

There has been no significant tree or canopy loss based on comparison of the most recent aerial image on Google Earth (June 2021) and that from July 2018.

See Attachment A: Google Earth aerial images of Soaring Eagle Project Area from July 2018 and June 2021.

See Attachment B: i-Tree Canopy Reports of the Project Area from 2018 and 2021.

6. Please estimate the percentage of the Project Area that appears to be gaining stored carbon stocks.

No significant gains in carbon stocks over the 3-year period since the project start date.

7. Please estimate the percentage of the Project Area that appears to be losing stored carbon stock.

No area within the Project Area appears to be losing stored carbon stock.

8. Please estimate the number of acres of significant soil disturbance since the previous monitoring report. Examples include plowing and removal of topsoil. For the purposes of these reports, areas of soil exposed by trees tipping over are not counted as areas of significant soil disturbance.

No area within the Project Area has experienced significant soil disturbance.

9. Any other significant elements to report?

There are no other significant elements to report.

Signed on March 16, 2022, by Kathleen Farley Wolf for King County Department of Natural Resources and Parks.

DocuSigned by:

Kathleen Farley Wolf

Kathleen Farley Wolf (206) 477-4363


kfarleywolf@kingcounty.gov





i-Tree Canopy_{v6.1} Cover Assessment and Tree Benefits Report Estimated using random sampling statistics on 12/08/18





Cover Class	Description	Abbr.	Points	% Cover
Conifer	Coniferous canopy (estimated based on satellite imagery)	С	13	52.0 ±9.99
Deciduous	Deciduous canopy (estimated based on satellite imagery)	D	10	40.0 ±9.80
Non-Forest	Not forest canopy (estimated based on satellite imagery)	NF	2	8.00 ±5.66

Tree Benefit Estimates

Abbr.	Benefit Description	Value (USD)	±SE	Amount	±SE
СО	Carbon Monoxide removed annually	1.33 USD	±0.08	10.96 lb	±0.65
NO2	Nitrogen Dioxide removed annually	3.33 USD	±0.20	97.68 lb	±5.76
О3	Ozone removed annually	215.27 USD	±12.70	759.47 lb	±44.79
PM2.5	Particulate Matter less than 2.5 microns removed annually	606.03 USD	±35.74	42.34 lb	±2.50
SO2	Sulfur Dioxide removed annually	0.49 USD	±0.03	35.73 lb	±2.11
PM10*	Particulate Matter greater than 2.5 microns and less than 10 microns removed annually	114.35 USD	±6.74	207.17 lb	±12.22
CO2seq	Carbon Dioxide squestered annually in trees	3,228.95 USD	±190.43	69.67 T	±4.11
CO2stor	Carbon Dioxide stored in trees (Note: this benefit is not an annual rate)	81,091.11 USD	±4,782.49	1,749.64 T	±103.19

i-Tree Canopy Annual Tree Benefit Estimates based on these values in lbs/acre/yr and USD/T/yr: CO 0.787 @ 244.11 USD | NO2 7.017 @ 68.35 USD | O3 54.562 @ 568.91 USD | PM2.5 3.042 @ 28,727.77 USD | SO2 2.567 @ 27.76 USD | PM10* 14.883 @ 1,107.85 USD | CO2seq 10,010.267 @ 46.51 USD | CO2stor is a total biomass amount of 251,395.359 @ 46.51 USD

Note: Currency is in USD

Note: Standard errors of removal amounts and benefits were calculated based on standard errors of sampled and classified points.

About i-Tree Canopy

The concept and prototype of this program were developed by David J. Nowak, Jeffery T. Walton and Eric J. Greenfield (USDA Forest Service). The current version of this program was developed and adapted to i-Tree by David Ellingsworth, Mike Binkley, and Scott Maco (The Davey Tree Expert Company).

Limitations of i-Tree Canopy

The accuracy of the analysis depends upon the ability of the user to correctly classify each point into its correct class. As the number of points increase, the precision of the estimate will increase as the standard error of the estimate will decrease. If too few points are classified, the standard error will be too high to have any real certainty of the estimate.

A Cooperative Initiative Between:










www.itreetools.org

i-Tree Canopy v7.1

Cover Assessment and Tree Benefits Report


Estimated using random sampling statistics on 2/7/2022





Google

Land Cover



Abbr.	Cover Class	Description	Points	% Cover ± SE	Area (ac) ± SE
С	Conifer	Coniferous canopy (estimated based on satellite imagery)	14	56.00 ± 9.93	8.44 ± 1.50
D	Deciduous	Deciduous canopy (estimated based on satellite imagery)	10	40.00 ± 9.80	6.03 ± 1.48
NF	Non-Forest	Not forest canopy (estimated based on satellite imagery)	1	4.00 ± 4.00	0.60 ± 0.60
Total			25	100.00	15.08

Tree Benefit Estimates: Carbon (English units)

Description	Carbon (T)	±SE	CO ₂ Equiv. (T)	±SE	Value (USD)	±SE
Squestered annually in trees	19.76	±0.81	72.44	±2.96	3,369 USD	±138
Stored in trees (Note: this benefit is not an annual rate)	496.17	±20.26	1,819.27	±74.27	84,617 USD	±3,454

Currency is in USD and rounded. Standard errors of removal and benefit amounts are based on standard errors of sampled and classified points. Amount sequestered is based on 1.365 T of Carbon, or 5.005 T of CO_2 , per ac/yr and rounded. Amount stored is based on 34.281 T of Carbon, or 125.697 T of CO_2 , per ac and rounded. Value (USD) is based on 170.54 USD/T of Carbon, or 46.51 USD/T of CO_2 and rounded. (English units: T = tons (2,000 pounds), ac = acres)

Tree Benefit Estimates: Air Pollution (English units)

Abbr.	Description	Amount (lb)	±SE	Value (USD)	±SE
CO	Carbon Monoxide removed annually	11.40	±0.47	1 USD	±0
NO2	Nitrogen Dioxide removed annually	101.56	±4.15	3 USD	±0
О3	Ozone removed annually	789.70	±32.24	225 USD	±9
SO2	Sulfur Dioxide removed annually	37.15	±1.52	1 USD	±0
PM2.5	Particulate Matter less than 2.5 microns removed annually	44.03	±1.80	632 USD	±26
PM10*	Particulate Matter greater than 2.5 microns and less than 10 microns removed annually	215.41	±8.79	119 USD	±5
Total		1,199.25	±48.96	982 USD	±40

Currency is in USD and rounded. Standard errors of removal and benefit amounts are based on standard errors of sampled and classified points. Air Pollution Estimates are based on these values in lb/ac/yr @ USD/lb/yr and rounded:

CO 0.787 @ 0.12 USD | NO2 7.017 @ 0.03 USD | O3 54.562 @ 0.28 USD | SO2 2.567 @ 0.01 USD | PM2.5 3.042 @ 14.36 USD | PM10* 14.883 @ 0.55 USD (English units: lb = pounds, ac = acres)

Tree Benefit Estimates: Hydrological (English units)

Abbr.	Benefit	Amount (Kgal)	±SE	Value (USD)	±SE
AVRO	Avoided Runoff	238.22	±9.73	2,129 USD	±87
Е	Evaporation	1,725.80	±70.46	N/A	N/A
1	Interception	1,740.23	±71.04	N/A	N/A
Т	Transpiration	3,546.50	±144.79	N/A	N/A
PE	Potential Evaporation	5,533.90	±225.92	N/A	N/A
PET	Potential Evapotranspiration	4,804.46	±196.14	N/A	N/A

Currency is in USD and rounded. Standard errors of removal and benefit amounts are based on standard errors of sampled and classified points. Hydrological Estimates are based on these values in Kgal/ac/yr @ USD/Kgal/yr and rounded:

AVRO 16.459 @ 8.94 USD | E 119.240 @ N/A | I 120.236 @ N/A | T 245.035 @ N/A | PE 382.350 @ N/A | PET 331.951 @ N/A (English units: Kgal = thousands of gallons, ac = acres)

About i-Tree Canopy

The concept and prototype of this program were developed by David J. Nowak, Jeffery T. Walton, and Eric J. Greenfield (USDA Forest Service). The current version of this program was developed and adapted to i-Tree by David Ellingsworth, Mike Binkley, and Scott Maco (The Davey Tree Expert Company)

Limitations of i-Tree Canopy

The accuracy of the analysis depends upon the ability of the user to correctly classify each point into its correct class. As the number of points increase, the precision of the estimate will increase as the standard error of the estimate will decrease. If too few points are classified, the standard error will be too high to have any real certainty of the estimate.





Treeco,nomics











